



J.R. Clancy, Incorporated
7041 Interstate Island Road
Syracuse, New York USA 13209-9713

Telephone: (315) 451-3440
Facsimile: (315) 451-1766
www.jrclancy.com

Fire Safety Curtains

Fire curtains provide a barrier between the stage and auditorium, inhibiting the passage of heat, smoke, and fire. Complete, fully engineered fire curtain systems are available.



Fire Safety Curtains

Straight lift and brail fire curtains using Zetex Plus fabric.

**Zetex®
Borders**

Zetex® Borders

Zetex Borders protect curtains and scenery from the heat generated by theatrical lighting equipment



Fire Curtain Hoist

Motorized and manual Fire curtain winches, with integral speed regulation, are used to raise and lower fire curtains (up to 900 lbs).



Motorized Fire Curtain Hoist

Motorized fire curtain hoist with integral speed regulation used to raise and lower fire curtains (up to 1,100 lbs.).



Line Shaft Hoist

Line Shaft Hoists with integral speed regulation, are used with mid weight straight lift fire curtains (up to 1,400 lbs).



Traction Drive Hoist

Traction Drive Hoists are used with steel framed fire curtains, and other heavy, counterweighted fire curtains.



Fire Curtain Release & Enclosure

For manual release of the fire curtain in case of fire.




SureGuard II

Allows rate of rise heat detectors, smoke detectors, or other electrical signals to automatically release the fire curtain.



Smoke Pocket

Smoke pockets contain the sides of the fire curtain to prevent the passage of smoke, and house the curtain guide system.



Smoke Seal

Used above the proscenium opening to seal the gap between the wall and the fire curtain.



Curtain Guides

Guide the edges of curtains on tracks or wire guides.



Round Weight Arbor System

Used to tension fire lines, dashpot cables and overbalance clutch levers.



Fusible Links

Links open in response to temperature or electrical signal to release the fire line FC Arbor release.



Fire Curtain Arbor Release

Allows fire detection systems, such as rate of rise heat detectors, smoke detectors, or other electrical signals to automatically release the fire curtain.



Swivel Eye Pulley

Used in fire lines as needed.



Hydraulic Dashpot

Used to slow the descent of large fire safety curtain as it approaches the floor.



Light Duty Blocks

3" blocks used with fire lines and other light load applications.



Floor Plates

For termination of guide lines.